





ITEM NO.	DESCRIPTION	MATERIAL	PART NO	16-24/QTY.
	PLATFORM, ADJUSTABLE HEIGHT 16" - 24", 2 - 3 STEP, 1000# CAPACITY, BREAKS DOWN FOR SHIPPING AND STORAGE, OSHA 1910 COMPLIANT		DC-BC-AJ23	-
1	PLATFORM, ADJUSTABLE HEIGHT SHORT SERIES, 16" MINIMUM HEIGHT, PERFORATED DECK, REMOVABLE ALUMINUM RAILING	ALUMINUM	AJADJ-PLTSHRTPERF16	1
2	PLATFORM RAIL, 42" X 42", SHORT SIDE	ALUMINUM	AJADJ-PLATRAIL42-42	1
3	PLATFORM RAIL, 42"X 60", LONG SIDE	ALUMINUM	AJADJ-PLATRAIL42-60	2
4	STAIR, 2 STEP, PERFORATED TREADS	ALUMINUM	AJADJ-STR3-16PERF	1
5	STAIR RAIL, 16" STAIR	ALUMINUM	AJADJ-STRRAIL16	2
6	LEG, ADJUSTABLE PLATFORM, 12" TALL	ALUMINUM	AJADJ-LEG12	6
7	RAILING CLAMP, STEEL, POWDER COAT GRAY	STEEL	AJADJ-DKCLMP1_375	8
8	HARDWARE KIT	STAINLESS STEEL/STEEL	AJADJ-HWKIT5_16	-

ALL RAILING REQUIRE 2 CLAMPS




UNIT LOWER POSITION



UNIT RAISED POSITION

Ø 9/16 THRU
FOR GROUND LUGS



MOUNTING BASE PLATE
DETAIL - 6 PLCS


DESIGN CRITERIA
CODE: OSHA 1910 SUBPART D
LIVE LOAD: PLATFORM: 1000 LBS STAIR: 1000 LBS GUARDRAILS 200 LBS (ANY DIRECTION)
DESIGN DATA IS KEPT ON FILE BY THE MANUFACTURER

PROPRIETARY AND CONFIDENTIAL


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE DIVERSE SUPPLY, INC.. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF DIVERSE SUPPLY, INC. IS PROHIBITED.

DIVERSE SUPPLY, INC.							
PO BOX 10997 ST. PETERSBURG, FL 33733 (888) 802-3651							
CAPACITY	1000#		NAME	DATE	TITLE: PLATFORM, ADJUSTABLE HEIGHT 16" - 24", 2 - 3 STEP, 1000# CAPACITY, BREAKS DOWN FOR SHIPPING AND STORAGE, OSHA 1910 COMPLIANT		
FINISH	MILL	DRAWN	WSC	08/26/23			
MATERIAL	SEE BOM	CHECKED	AG	08/26/23			
WEIGHT	226.26 LBS	COMMENTS: ISSUED FOR CONSTRUCTION 08/27/23 WSC					
DO NOT SCALE DRAWING					SIZE B	DWG. NO. DS-BC-AJ23	REV A
						SHEET 1 OF 2	

UNIT WILL SHIPS BROKEN DOWN AND FLAT PACKED



STAIR UNIT BOLTS TO PLATFORM



NOTES:

- 1. UNIT WILL SHIP WITH ALL HARDWARE FOR ASSEMBLY
- 2. HARDWARE FOR BOLTING THE BASE PLATE TO THE FOUNDATION STRUCTURE IS NOT PROVIDED.
- 3. RAILING CLAMPS ARE REQUIRED FOR USE.

THE UNIT SHOWN, DS-BC-AJ67, IS REPRESENTATIVE OF THE DS-BC-AJ## SERIES.

SIZE	DWG. NO.	REV
B	DS-BC-AJ23	A
		SHEET 2 OF 2